

AJ Wall

The fixture emits downward directed light. The angle of the shade and rotation can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.

Project name:

Project type:

Notes:



Finish

White, Black, Aubergine, Dark Green, Dark Grey, Light Grey, Midnight Blue, Pale Petroleum, Rusty Red, Yellow Ochre, wet painted.

Mounting

Cable type: Plastic cord with plug. Cable length: 2.4m. Light control: Switch in wallbox.

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source & energy class

A+ - E | 1x20W E14

Materials

Shade: Spun steel. Wall box: Spun steel. Arm: Steel.

Sizes and weights

Width x Height x Length (mm) | 318 x 180 x 125 Max 0.8 kg

Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head rotates and pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor.

Back plate dimension: 4.8" diameter. Mounts onto 4" octagonal outlet box. (USA only)

Light description

The fixture emits glare free, directed light.
Combined direct and indirect light ensures directed light with soft shadows
The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Arne Jacobsen

Mounting

Fixture head and wall box: spun aluminium, 1.5mm (0.06") thick, wet painted.
Arm: extruded aluminium, 1.5mm (0.06") thick, wet painted.
Mounting plate: zinc plated aluminium, 1.5mm (0.06") thick.
Switch: on/off, phenolic black.
Socket: Porcelain, candelabra base for G16.5, frosted envelope lamps.

Weight

Min: 0.836 kg Max: 0.836 kg

Finish

Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Pale petroleum, Rusty red, Wht, Yellow ochre

Product variants

| Light source | Colour | Class | Shade | Cable type | Variant number |
|--------------|----------------|-------|--------------------|------------|----------------|
| 1x20W E14 | Aubergine | II | TILTABLE/ROTATABLE | BLK PL | 5743160875 |
| 1x20W E14 | Black | II | TILTABLE/ROTATABLE | BLK PL | 5743161780 |
| 1x20W E14 | Dark green | II | TILTABLE/ROTATABLE | BLK PL | 5743160901 |
| 1x20W E14 | Dark grey | II | TILTABLE/ROTATABLE | BLK PL | 5743160891 |
| 1x20W E14 | Light grey | II | TILTABLE/ROTATABLE | BLK PL | 5743160888 |
| 1x20W E14 | Midnight blue | II | TILTABLE/ROTATABLE | BLK PL | 5743160862 |
| 1x20W E14 | Pale petroleum | II | TILTABLE/ROTATABLE | BLK PL | 5743161793 |
| 1x20W E14 | Rusty red | II | TILTABLE/ROTATABLE | BLK PL | 5743160859 |
| 1x20W E14 | Wht | II | TILTABLE/ROTATABLE | WHT PL | 5743161777 |
| 1x20W E14 | Yellow ochre | II | TILTABLE/ROTATABLE | BLK PL | 5743160846 |